




"PRESSURE SENSORS"



P/N	Pkg Q.ty
-----	-------------

1027480 1






Housing material Zn-Cr plated
Thread M14 x 1.5
Key hexagon 19 mm
Connection: blade terminal
6.35 x 0.8 mm
Power supply 12 - 24V

Pressure (bar)	Resistance (ohm)
0	260 ÷ 300
4	105 ÷ 125
8	0 ÷ 20

P/N	Pkg Q.ty
-----	-------------

1027482 1






Housing material Zn-Cr plated
Thread 1/8 27 NPTF
Key hexagon 17 mm
Connection: blade terminal
6.35 x 0.8 mm
Power supply 12 - 24V

Pressure (bar)	Resistance (ohm)
0	260 ÷ 300
4	105 ÷ 125
8	0 ÷ 20

P/N	Pkg Q.ty
-----	-------------

1027484 1

Pressure sensor
with switch



Housing material Zn-Cr plated
Thread M14 x 1.5
Key hexagon 19 mm
Connection: 2 blade terminals
6.35 x 0.8 mm
Power supply 12 - 24V


Pressure (bar)	Resistance (ohm)
0	260 ÷ 300
4	105 ÷ 125
8	0 ÷ 20

SWITCH

Type	Opening Pressure (bar)
Normally closed	0.6 - 1.2

P/N	Pkg Q.ty
1027486	1

Pressure sensor
with switch




Housing material Zn-Cr plated
Thread 1/8 28 BSP
Key hexagon 17 mm
Connection: 2 knurled nut buttons
Power supply 12 - 24V

Pressure (bar)	Resistance (ohm)
0	0 ÷ 20
6	126 ÷ 144
10	170 ÷ 190

SWITCH

Type	Opening Pressure (bar)
Normally closed	0.9 - 1.2

P/N	Pkg Q.ty
1027567	1




27.0958.0000
Kit di connessione controparte
Counterpart connection kit

Housing material Zn-Cr plated
Thread 1/8 x 27 NPTF
Key hexagon 22 mm
Connection: 2 pins s/seal
Power supply 12 - 24V

Opening
pressure (bar)

2 ± 4

P/N	Pkg Q.ty
1003761	1




Housing material Zn-Cr plated
Thread M10 x 1
Key hexagon 24 mm
Connection: 2 blade terminals
6.35 x 0.8 mm
Power supply 148V max

Opening
pressure (bar)

0.6

P/N	Pkg Q.ty
1003763	1

Brake systems only




Housing material Zn-Cr plated
Thread 1/8 x 27 NPTF
Key hexagon 22 mm
Connection: hexagon 22 mm
Power supply 12 - 24V

Opening
pressure (bar)

3 ± 8


P/N	Pkg Q.ty
1004479	1



Housing material Zn-Cr plated
Thread M12 x 1.5
Key hexagon 22 mm
Connection: blade terminal
6.35 x 0.8 mm
Power supply 12 - 24V

Opening pressure (bar)
1.0 ± .10 / - 0.15


P/N	Pkg Q.ty
1003770	1



Housing material Zn-Cr plated
Thread M10 x 10
Key hexagon 17 mm
Connection: blade terminal
6.35 x 0.8 mm
Power supply 12 - 24V

Pressure (bar)	Resistance (ohm)
0	260 ÷ 300
4	105 ÷ 125
8	0 ÷ 20


P/N	Pkg Q.ty
1003776	1



Housing material Zn-Cr plated
Thread M12 x 1.5
Key hexagon 27 mm
Connection: DIN type
Power supply 12 - 24V



Closing pressure (bar)
0.7 ± 0.20

P/N	Pkg Q.ty
1004471	1





Measuring pressure range 350 bar
Output signal 1 4 - 20 mA / 0 - 350 bar
Output signal 2 4 - 20 mA / 0 - 350 bar
Connection Deutsch DT04 - 4 pole
Housing material INOX steel
Power supply 12 - 35V
Protection class IP67

P/N	Pkg Q.ty
1004478	1





Measuring pressure range 450 bar
Output signal 1 4 - 20 mA / 0 - 450 bar
Output signal 2 4 - 20 mA / 0 - 450 bar
Connection Deutsch DT04 - 4 pole
Housing material INOX steel
Power supply 12 - 35V
Protection class IP67

P/N	Pkg Q.ty
1004479	1





Measuring pressure range 350 bar
Output signal 1 4 - 20 mA / 0 - 350 bar
Output signal 2 20 - 4 mA / 0 - 350 bar
Connection Deutsch DT04 - 4 pole
Housing material INOX steel
Power supply 12 - 35V
Protection class IP67

P/N	Pkg Q.ty
1004448	1




Measuring pressure range 250 bar
Output signal 4 - 20mA / 0 - 250 bar
Connection M12
Housing material INOX steel
Power supply 12 - 30V
Protection class IP67

P/N	Pkg Q.ty
1004476	1





Measuring pressure range 600 bar
Output signal 1 4 - 20 mA / 0 - 600 bar
Output signal 2 4 - 20 mA / 0 - 600 bar
Connection M12
Housing material INOX steel
Power supply 7 - 35V
Protection class IP67

P/N	Pkg Q.ty
1004477	1





Measuring pressure range 250 bar
Output signal 1 4 - 20 mA / 0 - 250 bar
Output signal 2 4 - 20 mA / 0 - 250 bar
Connection M12
Housing material INOX steel
Power supply 7 - 35V
Protection class IP67

P/N	Pkg Q.ty
1004456	1





Measuring pressure range 200 bar
Output signal 4 - 20 mA / 0 - 200 bar
Connection DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65

P/N	Pkg Q.ty
1004458	1





Measuring pressure range 300 bar
Output signal 0,5 - 5,5V
Connection DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65

P/N	Pkg Q.ty
1004459	1





Measuring pressure range 350 bar
Output signal 0,5 - 5,5V
Connection: DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65

P/N	Pkg Q.ty
1004462	1





Measuring pressure range 450 bar
Output signal 4 - 20mA / 0 - 450 bar
Connection: DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65

P/N	Pkg Q.ty
1004464	1




Measuring pressure range 600 bar
Output signal 4 - 20mA / 0 - 600 bar
Connection: DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65

P/N	Pkg Q.ty
1077997	1





Measuring pressure range 450 bar
Output signal 4 - 20mA / 0 - 450 bar
Connection: DIN 43650
Housing material INOX steel
Power supply 10 - 30V
Protection class IP65

P/N	Pkg Q.ty
1081234	1




Measuring pressure range 350 bar
Output signal 0,5 - 5,5V
Connection: Deutsch DT04 - 3 pole
Housing material INOX steel
Power supply 8 - 30V
Protection class IP67

P/N	Pkg Q.ty
1004455	1




Measuring pressure range 350 bar
Output signal 0,5 - 5,5V
Connection DIN 43650
Housing material INOX steel
Power supply 12 - 30V
Protection class IP65


P/N	Pkg Q.ty
1004480	1



Measuring pressure range 350 bar
Output signal CAN BUS
Connection: M12 5P
Housing material INOX steel
Power supply 10 - 35V
Protection class IP67




P/N	Pkg Q.ty
1004467	1




RLmin = 2k Ω

Measuring pressure range 350 bar
Output signal 0,5 - 5,5V
Connection AMP Superseal 3P
Housing material INOX steel
Power supply 9 - 30V
Protection class IP67




P/N	Pkg Q.ty
1004469	1




RLmin = 2k Ω

Measuring pressure range 300 bar
Output signal 0,5 - 5,5V
Connection: AMP Superseal 3P
Housing material INOX steel
Power supply 9 - 30V
Protection class IP67




P/N	Pkg Q.ty
1084735	1



RLmin = 2k Ω

Measuring pressure range 60 bar
Output signal 0,5 - 5,5V
Connection: AMP Superseal 3P
Housing material INOX steel
Power supply 9 - 30V
Protection class IP67



P/N	Pkg Q.ty
-----	-------------